



QUICKSILVER[®]
Marine Parts & Accessories




TABLE OF CONTENTS

4-Stroke Oil Product Overview	3-10	2-Stroke Outboard Oil Recommendations & Gearcase Capacities	
.....		Force	27
2-Stroke Oil Product Overview	11	Johnson / Evinrude	27
.....		Mercury / Mariner	36
Gear Lubricants	12	Nissan / Tohatsu	39
.....		Suzuki	40
Fuel Treatment Products	12	Yamaha	42
.....			
Diesel Oil Product Overview	13	Inboard Crankcase Capacity Charts	
.....		MerCruiser Gasoline Engines	46
Powersports Lubricants Lineup	14	Volvo Penta Gasoline Engines	49
.....		Yanmar Inboard / Sterndrive	51
4-Stroke Outboard Crankcase & Gearcase Capacity Charts		Sterndrive Gearcase Capacity Charts	
Honda	15	MerCruiser Sterndrives	53
.....		OMC Stringer Drive	54
Johnson / Evinrude	18	OMC Cobra	56
.....		Volvo Penta Sterndrives	57
Mercury	19	Diesel Crankcase Capacity Charts	
.....		MerCruiser Diesel Engines	58
Nissan / Tohatsu	22	
.....		The Quicksilver Story	60
Suzuki	22	
.....			
Yamaha	24		
.....			

ALL NEW QUICKSILVER 4-STROKE OIL LINE UP



Best : Synthetic Blend 25W-40

- Flagship product – ultimate wear, shear and corrosion protection
- Replaces and outperforms previous full synthetic and semi-synthetic products
- Best performing marine 4-stroke oil available
- Provides the best shear stability and engine protection when operating at maximum output and high temperature for extended periods of time
- Approved for outboards, stern drives and inboard engines



Good : Mineral 10W-30 & 25W-40

- Similar levels of corrosion protection as semi-synthetic
- Exceeds FC-W Catalyst Compatible Requirements
- 25W-40 approved for all outboards, stern drives and inboard engines, 10W-30 approved for most 4-cycle outboard engines

WHY TRUST QUICKSILVER'S NEW 4-STROKE OIL?

1 For Use In All 4-Stroke Marine Engines



2 Flagship Engine & Corrosion Protection



3 The Most Recommended Marine Oil

#1



#1 **PROTECTION**
ON THE WATER

1. FOR USE IN ALL 4-STROKE MARINE ENGINES

New Multi-Application Formula

- For use in all marine engines: **inboard, outboard, Verado®**, EFI and carbureted
- FC-W Catalyst Compatible Certified
- Engineering certified for use in all brands
 - Mercury, Yamaha, Honda, Suzuki, Volvo, Johnson/Evinrude, Nissan/Tohatsu, Force, Mariner



Streamlined 4-Stroke Line: Reduced Complexity!

2. FLAGSHIP PROTECTION: SHEAR STRENGTH


Industry-Leading Shear Strength

High-temp, high-shear test results: the larger the number, the stronger the oil.

- **40% stronger** vs. other marine oils, to protect your engine gears, bearings and gear teeth
- **56% stronger** vs. automotive oil

*Quicksilver is 34% stronger than FC-W minimum requirement**

*Based on Kurt-Orbahn Shear Stability Test ASTM D-6278



1. Automotive engine oil 4-stroke 10W-30
2. A leading aftermarket marine oil
3. Competing OEM marine oil




2. FLAGSHIP PROTECTION: VISCOSITY RETENTION

Viscosity Retention

High viscosity retention creates stronger oil and better protection. Stable viscosity after a high-load test means longer lasting protection of your engine even in severe conditions. Quicksilver provides the most stable viscosity by far in this test, thus providing the **longest lasting, strongest protection**.

Mercury Engineering designed Quicksilver oil to retain viscosity under demanding conditions, providing the best protection between oil changes!

Percentage oil Viscosity retained



- Shows percentage of retained oil viscosity after high load test
- Lost viscosity means less protection of critical engine parts

ASTM D-6278 & ASTM D-445 tests used to determine % change

1. A leading aftermarket marine oil
2. Competing OEM marine oil




2. FLAGSHIP PROTECTION: ANTI-CORROSION


Rust & Corrosion Protection

- New advanced corrosion inhibitors outperform competition and FC-W standards by 32%
- Protects against rust and corrosion in harsh marine industry environments, as well as during intermittent use and off-season storage
- Aftermarket oils do not offer the same protection levels as Quicksilver or other OEM oils

Many oils claiming to be “marine oils” simply cannot protect your engine in marine environments. Trust Quicksilver!



Saltwater / 100% Humidity NMMA FC-W Rust Test



In this 24-hour extreme condition test, Quicksilver provides 150% better corrosion protection than other marine oils



2. FLAGSHIP PROTECTION : CAM SHAFT DEFENSE

Wear Protection

- New Quicksilver 4-Stroke Oils use new high tech anti-wear additives
- Most marine oils use older technology that do not provide the same level of wear protection that Quicksilver 4-stroke oils provide
- Ultimate wear protection keeps cams and other engine parts looking and operating as new for longer



*Quicksilver has 33% greater camshaft wear protection compared to other marine oils!**

*Based on – ASTM D-6891
Test Sequence IV A cam wear limits



3. THE MOST RECOMMENDED MARINE OIL

#1 Marine Oil on the Market

- Recommended for more engines on the market than any other 4-stroke oil
- Top selling 4-stroke marine oil
- 5 years of Engineering and development
- Approved by Quicksilver engineers and meets warranty requirements for all marine 4-stroke engines
 - Yamaha, Honda, Suzuki, Volvo, Johnson/Evinrude, Nissan/Tohatsu, Force, Mariner



QUICKSILVER 2-STROKE OIL LINEUP

Premium 2-Cycle Outboard Oil

- » For low-to mid-horsepower outboard engines, under general marine operating conditions
- » Exceeds TC-W3 standards
- » Reduces rust and corrosion of internal components
- » Meets all outboard and personal watercraft manufacturers' recommendations for use of TC-W2 and TC-W3 oils in pre-mix or oil-injected 2-cycle applications

Premium Plus 2-Cycle Outboard Oil

Specifically formulated with a higher concentration marine additive package to meet the needs of:

High-horsepower outboard including direct fuel-injected engines in extreme marine operating conditions

- » -Far exceeds Quicksilver in-house test standards, which are more stringent than the industry's TC-W3 standard
- » Cleanest burning reduces carbon build-up in exhaust system
- » Superior lubrication
- » Meets all outboard and personal watercraft manufacturers' recommendations for use of TC-W2 and TC-W3 oils in pre-mix or oil-injected 2-cycle applications

Optimax/DFI 2-Cycle Outboard Oil

A synthetic blend 2-Cycle engine oil specifically formulated and developed to meet the needs of:

OptiMax and Direct Fuel Injected (DFI) 2-cycle outboard engines

- » Provides the maximum protection for OptiMax and DFI engines even under the most extreme operating conditions
- » Outperforms other oils by combining a carefully modified base stock blend with a synthetic additive package
- » Minimizes carbon build-up to help maintain engine top end speed and acceleration
- » Superior lubrication for increased resistance to piston scuffing
- » Will mix with typical 2-cycle engine oils
- » Provides warranty protection for Mercury and Mariner OptiMax and DFI outboards



QUICKSILVER GEAR LUBRICANT & FUEL TREATMENT LINEUP

Gear Lubricants

- Premium Gear Lube 80W-90
 - For Outboard lower units below 75hp
- High Performance Gear Lube SAE 90
 - Extends gear life in extreme conditions including high-speed and high-horsepower applications



Fuel Care System

1. Quickare – Add to every fill-up

Maximizes engine performance with all grades of gasoline

Helps control corrosion, gum and varnish build-up, and phase separation associated with ethanol-blended fuel

Helps control moisture and corrosion problems associated with non-ethanol fuel

Cleans up existing varnish and deposits from fuel lines, tanks, carburetors & injectors, intake valves, and spark plugs

Keeps fuel fresh between fill-ups – up to 12 months

2. Quickleen – For use as needed throughout the boating season

Aggressive cleaners work to quickly and thoroughly remove carbon deposits from carburetors and injectors, intake valves, spark plugs, piston crowns, and cylinder heads

Prevents engine knocking and piston seize-up, and extends spark plug life

This product does not contain fuel stabilizers. Use with Quickare to prevent fuel breakdown and oxidation.

3. Quickstor – Add to fuel before long-term storage of your engine

Prevents regular and ethanol-blended fuel from breaking down and oxidizing

Prevents fuel system corrosion and keeps injectors and carburetor lubricated

Prevents gum and varnish from forming in the fuel and settling in fuel lines and tanks, carburetors and injectors

Stabilizes fuel for up to a year



QUICKSILVER DIESEL OIL LINEUP

15W-40 Diesel Engine Oil

- Specifically formulated and developed to meet the needs of all marine diesel engines, including Mercury, MerCruiser and D-Tronic
- Contains a higher additive level than standard fleet oils, providing greater protection
- Provides excellent wear tolerance
- Provides excellent shear stability to assure stay-in-grade performance
- Protects the internal engine components from corrosion and wear
- Helps control the formation of sludge and varnish deposits, even in highly stressed applications
- Provides warranty protection for Mercury MerCruiser engines



Quicksilver 5W-30 TDI Diesel Engine Oil

- Optimizes engine performance in marine applications because this stable, stay-in-grade formula resists thermal breakdown and oxidation under extreme conditions
- Protect anti-pollution systems
- Increase the life of diesel particulate filters (DPF)
- Provide outstanding wear and corrosion protection which help extend engine life
- For use in Turbocharged Direct Injection (TDI) engines



4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

HONDA					
MODEL	SERIAL NUMBER	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
BF2D	BAVJ-1000001-9999999	0,25	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	47	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
BF5A	BADL-1000001-1599999	0,55		104	
	BADS-1000001-9999999	0,55		104	
BF8D/ BFP8D	BAAJ-1000001-1499999	1,32		284	
	BAAJ-1500001-1999999	1,14		284	
	BACL-1000001-1299999	0,8		232	
	BACS-1000001-1299999	0,8		232	
	BACU-1000001-1299999	0,8		232	
	BZBC-1400001-1999999	0,8		232	
BF9.9D/ BFP9.9D	BABJ-1000001-1499999	1,32		284	
	BABJ-1500001-9999999	1,14		284	
	BABL-1000001-9999999	1,14		241	
	BABS-1000001-9999999	1,14		241	
BF15D/ BFP15D	BABU-1000001-9999999	1,14		241	
	BAAL-1000001-9999999	1,14		241	
	BAAS-1000001-1799999	1,14		241	
	BAAU-1000001-9999999	1,14		241	
BF15D/ BFP15D	BALJ-1000001-1499999	1,32		284	
	BALJ-1500001-9999999	1,14		284	

HONDA

MODEL	SERIAL NUMBER	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
BF20D/ BFP20D	BAMJ-1000001-1499999	1,32	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	284	Quicksilver High Performance Gear Lube - 237ml: 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
	BAMJ-1500001-9999999	1,14		284	
BF25A	BAJL-1000001-3000001	1,89		284	
	BAJS-1000001-3219999	1,89		284	
	BAJS-3220001-3399999	1,89		274	
	BAJU-1000001-1999999	1,89		274	
	BAJU-2000001-3000001	1,89		284	
	BATJ-1000001-1299999	1,89		274	
	BATJ-1300001-9999999	1,70		274	
BF30A	BAWL-1000001-3000001	1,89		284	
	BAWS-1000001-3219999	1,89		284	
	BAWS-3220001-3399999	1,89		274	
	BAUJ-1000001-1299999	1,89		274	
	BAUJ-1300001-9999999	1,70		274	
BF40A	BAYL-1000001-3199999	2,37		502	
	BAYS-3200001-3219999	2,37	502		
	BAYS-3220001-3599999	2,37	407		
	BAYS-3600001-3699999	1,99	407		
	BAYS-3700001-9999999	2,37	407		
	BAYU-1000001-1999999	2,37	502		
	BAYU-2000001-3199999	2,37	502		
	BBDJ-1000001-9999999	2,08	407		
BF50A	BAZJ-1000001-3199999	2,37	502		

4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

HONDA					
MODEL	SERIAL NUMBER	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
BF50A	BAZL-1000001-3209999	2,37	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	502	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
	BAZS-3000001-3219999	2,37		502	
	BAZS-3220001-3599999	2,37		407	
	BAZS-3600001-3699999	1,99		407	
	BAZS-3700001-9999999	2,37		407	
	BAZU-1000001-1999999	2,37		502	
	BAZU-2000001-3199999	2,37		407	
BF60A/ BFP60A	BBEJ-1000001-9999999	2,08		407	
	BBFJ-1000001-1000000	2,74		426	
	BBFJ-1100001-9999999	2,74		946	
	BBAU-1000001-3999999	4,45		671	
	BBAL-1000001-3999999	4,45		671	
BF75A	BBAL-4000001-4199999	4,54		1000	
	BBAU-4000001-4199999	4,54		1000	
	BBAL-4200001-4399999	4,54	1000		
	BBAL-4400001-9999999	4,54	946		
	BBAJ-1000001-9999999	4,35	946		
BF90A	BBBJ-1000001-4999999	4,45	671		
	BBBL-1000001-3199999	4,45	671		

HONDA

MODEL	SERIAL NUMBER	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
BF90A	BBBL-4000001-4399999	4,54	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	1003	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
	BBBL-4400001-9999999	4,54		946	
	BBBU-1000001-2999999	4,45		672	
	BBBU-3000001-4199999	4,54		1003	
	BBCJ-1000001-9999999	4,35		946	
BF115A	BZBD-1000001-1099999	6,53		1041	
	BZBD-1100001-1299999	6,53		1041	
	BZBD-1300001-9999999	6,53		946	
	BZBG-1000001-1099999	6,53		1041	
	BZBG-1100001-1299999	6,53		1041	
	BZBG-1300001-1699999	6,53		946	
	BBHJ-1000001-9999999	6,72		984	
BF135A	BARJ-1000001-9999999	6,72		984	
	BASJ-1300001-9999999	6,72		984	
BF150A	BANJ-1000001-9999999	6,72		984	
	BAPJ-1000001-9999999	6,72		984	
	BAEJ-1000001-1099999	7,76		946	
BF200A	BAEJ-1100001-9999999	7,76		1173	
	BAFJ-1000001-1099999	7,76		946	
	BAFJ-1100001-9999999	7,76	1173		
BF225A	BAGJ-1000001-1099999	7,76	946		
	BAGJ-1100001-9999999	7,76	1173		
	BAHJ-1000001-1099999	7,76	946		

4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

HONDA

MODEL	SERIAL NUMBER	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
BF225A	BAHJ-1100001-9999999	7,76	Quicksilver 10W-30	1173	Quicksilver High Performance Gear Lube
BF250A	BBJJ-1000001-9999999	7,76	- 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	1467	- 237ml : 92-8M0121960 - 1L : 92-858064QB1

JOHNSON / EVINRUDE

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
4/5	2003-05	0,70	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	207	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
5	1997-01	0,79		325	
6	2003-04	0,79		325	
6	1997-01	0,79		325	
8	1996-01	1		266	
8	2003-04	1		325	
9.9 (211cc)	1997-98	1		266	
9.9 / 15 (305cc)	1995-01	1,27		266	
9.9 / 15 (305cc)	2002-06	1,14		177	
25/30	2000-06	3,22		237	
40/50	1999-02	2,37	621		
60/70	2002-05	4,54	562		

JOHNSON / EVINRUDE

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
70	1998-01	4,54	Quicksilver 10W-30 - 1L : 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	562	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
90/115	2003-05	5,68		1065	
140	2003-05	5,68		1065	
200/225	2004-05	8,23		1094	

MERCURY

MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
2.5/3.5*	2006+		0,29	Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>	180	Quicksilver Premium Gear Lube - 237 ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
4/5/6*	1999+	-	0,45			201	
8*	1995-2000	232cc	0,99			201	
8*	2001-2004	323cc	0,99			201	
8*	2005+	209cc	0,79			319	
9.9*	1995-1998	232cc	0,99			201	
9.9*	1999-2004	323cc	0,99			201	
9.9*	2005+	209cc	0,79			319	
15*	1998-2005	323cc	0,99			201	
15*	1998-2005	323cc (w/ BigFoot)	0,99			260	
15*	2005+	351cc	0,99			379	
20*	2008+	351cc	0,99			370	
25*	1998-2006	498cc, Carb Models (w/ BigFoot)	3			441	
25*	2006+	492cc, EFI Models	1,80			349	

4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

MERCURY							
MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
25*	2006+	492cc, EFI Models (w/Bigfoot)	1,80	Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>	441	Quicksilver Premium Gear Lube - 237 ml: 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
30*	1999-2005	747cc	3			441	
30*	1999-2005	747cc (w/ BigFoot)	3			665	
30*	2006+	492cc EFI	1,80			349	
40*	1999+	747cc, 3 Cylinder	3			441	
40*	1999+	747cc, 3 Cylinder (w/BigFoot)	3			665	
40*	2001+	996cc, 4 Cylinder	3			441	
40*	2001+	996cc, 4 Cylinder (w/BigFoot)	3			710	
50*	1995-2000	935cc, 4 Cylinder	3			441	
50*	1995-2000	935cc, 4 Cylinder (w/BigFoot)	3			665	
50*	2001+	996cc, 4 Cylinder	3			340	
50*	2001+	996cc, 4 Cylinder (w/BigFoot)	3			710	
60*	2001+	996cc, 4 Cylinder	3			340	
60*	2001+	996cc, 4 Cylinder (w/BigFoot)	3			710	

MERCURY

MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
75*	2000-2005	Carbureted	4,99	Quicksilver 25W-40 Mineral - 1L: 92-8M0086223 - 4L: 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L: 92-8M0086226 - 4L: 92-8M0086227 <i>See p. 3 for more information</i>	665	Quicksilver High Performance Gear Lube -237ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
75*	2006	EFI, 1B366822& below	4,54			665	
75*	2006+	EFI, 1B366823&UP	4,99			710	
90*	2000-2005	Carbureted	4,99			710	
90*	2006	EFI, 1B366822& below	4,54			665	
90*	2006+	EFI, 1B366823&UP	4,99			710	
115*	2001-2006	EFI, 1B366822& below	4,99			710	
115*	2006+	EFI, 1B366823&UP	4,99			710	
150*	2011+	EFI	6			781	
135 Verado**	2006+	4 Cylinder	6			970	
150 Verado**	2006+	4 Cylinder	6			970	
175 Verado**	2006+	4 Cylinder	6			970	
200 Verado**	2007+	4 Cylinder	6			970	
225*	2003-2006	EFI	6			1153	
200 Verado**	2005+	6 Cylinder	7			970	
225 Verado**	2005+	6 Cylinder	7			970	
250 Verado**	2005+	6 Cylinder	7	970			
275 Verado**	2005+	6 Cylinder	7	970			
300 Verado**	2007+	6 Cylinder	7	970			

† Quicksilver 10W-30 (1L: 92-8M0086220; 4L: 92-8M0086221) recommended best crankcase oil

* Quicksilver 10W-30 (1L: 92-8M0086220; 4L: 92-8M0086221) is recommended for certain operating temperatures and manual start applications; consult owner's manual

**Quicksilver 25W-50 Synthetic Blend (1L: 92-8M0086226; 4L: 92-8M0086227) is recommended in certain operating conditions and high-performance applications; consult owner's manual

Over 5 years of testing & development to create the new Quicksilver lubricant line

4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

NISSAN / TOHATSU

MODEL	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
2.5 / 3.5	0,30	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	180	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
4 / 5 / 6	0,44		195	
8 / 9.8	0,80		319	
9.9A	1,04		201	
9.9B	1,04		370	
15A	1,04		201	
15B & C/ 20	1,04		370	
18B	1,04		370	
25 / 30	1,89		281	

SUZUKI

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
DF2.5	2006+	0,30	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	59	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
DF4	2003+	0,70		189	
DF6	2003+	0,70		189	
DF9.9A, AE	1996+	0,79		174	
DF9.9B EFI		1		174	
DF9.9TH		1,04		174	
DF9.9/ DF9.9T		1,14		174	

SUZUKI

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
DF15	1996+	1,14	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	174	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
DF15A EFI		1		174	
DF20A EFI		1			
DF25A EFI	2006+	1,51		231	
DF25/30	2000-06	3,22		231	
DF25 M/E/R		1,51		231	
DF30A EFI	2000+	1,51		231	
DF40A/ 50A/ 50AV/ 60A/ 60AV	1998+	2,74		609	
DF40/50		2,37		609	
DF60/70	1998+	4,82		559	
DF70A/ 80A/ 90A	2009+	4,45		600	
DF90/115/ 115A	2001+	6,34		1050	
DF140/ 140A	2002+	6,34		1050	
DF150/175	2007+	7,57		1100	
DF150/175	2006	8,04		1100	
Current DF200/225/250/ 250SS/ 250AP/300AP		8,23		1100	
DF200/225/250	2007+	8,23		1100	
DF200/225/250	2004-2006	8,23		1100	
DF300	2007+	8,23		1100	

Quicksilver 4-stroke oil was designed to be used in all 4-stroke marine engines. Quicksilver 10W-30 is approved for use in Suzuki & Nissan outboards.

4-STROKE OUTBOARD CRANKCASE & GEARCASE CAPACITY CHARTS

YAMAHA

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
F2.5	2003-04	0,35	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	75	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
F2.5	2005-06+	0,40		75	
F4	1999 -06+	0,50		100	
F4 / F6 MHA	2006+	0,60		100	
F6 & F8	2001 - 06+	0,80		150	
F9.9	1999 - 05	1,20		185	
F9.9	2006+	0,80		148	
F9.9 ERC/ MH2	2006+	1,20		250	
FT9.9	2006+	1,20		370	
F15 hp	1998 - 06+	1,20		250	
F15 J/J1 & F20	2006+	1,80		299	
F25	1998 - 05	1,89		320	
F25	2006+	1,60		320	
F30	2001 - 05	2,20		430	
F40	1999 - 06+	2,18		429	
F40	2006+	1,70		429	
F50	1998 - 04	2,18		429	
F50 / F60	2005	2,50	430		
F50 B/HB & F60 b/HB	2006+	2,10	430		

YAMAHA

MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
F60	2002 - 04	2,18	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	429	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
F70A and HA	2006+	2,10		670	
F75 & F90	2003	4,73		670	
F75 & F90	2004 - 05	4,54		670	
F75 & F90	2006+	3,70		670	
F80 hp	2000 - 03	4,73		670	
F100 hp	1999 - 02	4,73		670	
F115	2000 - 03	4,73		760	
F115	2004 - 06+	4,54		760	
FL115 & LF115	2000 - 03	4,73		715	
LF115	2004 - 06+	4,54		715	
F150	2004 - 06+	5,20		980	
LF150	2005 -06+	5,20		870	
F200 3.3L	2003 - 06+	6		1150	
F200 & LF200 (F1) Inline 4	2006+	4,50		980	
LF200 3.3L	2003 - 06+	6		1000	
F225 3.3L	2002- 06+	6		1150	
LF225 3.3L	2002 - 06+	6		1000	
F250 3.3L	2005	6		1150	
F250 3.3L	2006+	6		918	
LF250 3.3L	2005	6	1000		
LF250 3.3L	2006+	6	803		
225 / 250 / 300 F, LF 4.2L	2006+	6,30	1040		

**4-STROKE OUTBOARD CRANKCASE
& GEARCASE CAPACITY CHARTS**

YAMAHA					
MODEL	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
F350 5.3L	2006+	6,50	Quicksilver 10W-30 - 1L: 92-8M0086220 - 4L : 92-8M0086221 <i>See p. 3 for more information</i>	1521	Quicksilver High Performance Gear Lube - 237 ml: 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
FL350	2006+	6,50		1311	
T8	2001	0,80		320	
T8	2002 - 06+	0,80		370	
T9.9	1998 - 02, 2004 - 05	1,20		320	
T9.9	2003	1,20		185	
T9.9ER	2005 - 06+	1,20		370	
T9.9	2006+	0,80		370	
T25	2000 - 05	2,10		430	
T25	2006+	1,60		430	
T50	1998 - 03	2,18		609	
T50	2004	2,18		671	
T50	2005	2,50		671	
T50B	2006+	2,10		671	
T60	2003 - 04	2,18		671	
T60	2005	2,50		671	
T60B	2006+	2,10		671	
VF150	2006+	4,50		980	
VF200 / 225 / 250	2006+	7,10		1046	

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

FORCE			
MODEL / H.P.	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
5	Quicksilver Premium	118	Quicksilver Premium Gear Lube -237 ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
9.9, 15	2-Stroke - 1L : 92-858021QB1	201	
25	- 4L : 92-858022QB1	260	
40,50	Quicksilver Premium Plus	441	
75	2-Stroke - 1L : 92-858026QB1	355	
90,120	- 4L : 92-858027QB1 <i>See p. 12 for more information</i>	665	

JOHNSON / EVINRUDE				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
1.5	1968-70	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1 <i>See p. 11 for more information</i>	30	Quicksilver High Performance Gear Lube -237 ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
2	1971-85		59	
Colt®/Junior®	1986-91		59	
2.0,2.3,3.3	1991+		89	
2.5	1987-88		89	
3	1952-72		89	
3	1990+		89	
4(8110)	1969-82		118	
4 (90)	1973+		89	
Ultra 4, Excel 4	1987-91		89	
4 Deluxe	1986+	325		

Over 5 years of testing & development to create the new Quicksilver lubricant line

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

JOHNSON / EVINRUDE				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
4.5	1980-83	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1 <i>See p. 11 for more information</i>	325	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
5	1965-68		89	
5	1998		189	
5.5	1954-64		266	
6	1965-79		266	
6	1984+		325	
7.5	1951-53		118	
7.5	1954-58		266	
7.5	1980-83		325	
8	1984+		325	
9.5	1964-73		296	
9.9 2-Stroke	1974+		266	
10	1956-57		266	
10	1958-63		296	
14	1951-52		296	
14	1988-90		237	
15	1953-55		296	
15	1956		266	
15	1974+		266	
18	1957-73		266	
20	1966-73	266		

JOHNSON / EVINRUDE

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
20	1985+	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1	325	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L: 92-858064QB1 <i>See p. 12 for more information</i>
25	1951-55		414	
25	1969-84		266	
25 Comm.	1985+		266	
25 Comm. Thru Hub	1991+		325	
25	1985+		325	
28	1962-64		414	
28	1986+		266	
30	1956		414	
30	1984+		325	
33	1965-70		414	
35	1957-59		414	
35	1976-82		296	
35	1983-84		325	
35 45 Cu. In./737 CC	1987		651	
40	1960-76		414	
40 Elec. Shift	1962-70		444	
40 Comm.	1981-90		414	
40 Comm. (RS)	1991+		473	
40 Comm (RP,RW)	1993	651		
40	1984-88	651		
40	1989+	<i>See p. 11 for more information</i>	473	
40 E-Tec	2004-06	651		
45 Comm.	1986+	651		
48	1987-88	651		

Flagship Protection: Superior Strength, Ultimate Anti-corrosion, High-tech Anti-Wear

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

JOHNSON / EVINRUDE				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
48	1989+	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	473	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
50	1958-59		1035	
50 1971-72 Electric	1971-74		769	
50	1975-88		651	
50	1989+		473	
50 Comm.	1977-79		769	
50 3 cyl. 56 Cu.In.	1995+		651	
50 E-Tec	2004-06		651	
55 Electric Shift 3 Cyl	1968-69		769	
55	1976-79		651	
55 Comm.	1980+		651	
60 Std.	1964-67		591	
60 Heavy-Duty	1964-67		1035	
60 Electric Shift	1970-71		769	
60	1980-85		651	
60	1986+		651	
6 E-Tec	2004-06		651	
65 Standard	1968		591	
65 Heavy-Duty	1968		1035	
65 1972 Electric	1972-73		769	
65 Comm.	1984+	651		

JOHNSON / EVINRUDE

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
70	1974+		651	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
70 E-Tec	2004-06		651	
75	1960		651	
75 Man. Shift	1961-65	Quicksilver	591	
75 Elec. Shift	1962-65	Premium Plus 2-Stroke	532	
75 15" Small G/C	1975-88	- 1L : 92-858026QB1	651	
75 20"	1975-84	- 4L : 92-858027QB1	739	
75 V4 L	2002-03		769	
75 V4 X	2002-03		1242	
75 E-Tec L	2004		769	
75 E-Tec L	2005-06	Quicksilver Direct Injection	935	
75 E-Tec X	2004	- 4L : 92-858037QB1	1242	
75 E-Tec X	2005-06		970	
80 Man. Shift	1966-67		591	
80 Heavy-Duty	1966-67		1035	
80 Elec. Shift	1966-67		532	
85 Man. Shift - Std.	1968	Quicksilver	591	
85 Elec. Shift	1968	Premium Plus 2-Stroke	532	
85 Elec. Shift	1969-71	- 1L : 92-858026QB1	798	
85 1972 Elec. Shift	1972-76	- 4L : 92-858027QB1	828	
85 20"	1977	<i>See p. 11 for more information</i>	858	
85 25"	1977		1035	
85	1978		1124	
85	1979-80		798	

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

JOHNSON / EVINRUDE				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
85	1991+	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1	769	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
88	1987+		769	
90 Elec. Shift	1964-65		532	
90 Cross V4	1981+		769	
90 60V4 EL,SL	1995+		917	
90 60V4EX, SXV6G/C	1995+		1005	
90 V4 L	2002-03		769	
90 V4 X	2002-03		1242	
90 E-Tec L	2004		769	
90 E-Tec L	2005-06		Quicksilver DFI - 4L : 92-858037QB1	
90 E-Tec X	2004	1242		
90 E-Tec X	2005-06	970		
100* Elec. Shift	1966	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	828	
100 Elec. Shift	1967-68		1124	
100 Elec. Shift	1971-72		798	
100	1979-80		798	
100	1988+		769	
100 Comm. V6 G/C	1984+		1005	
100 V4 L	2004		769	
100 V4 X	2004		1242	
110	1986-89		769	

JOHNSON / EVINRUDE

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
112	1994+	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	769	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
115 Elec. Shift	1969-70		798	
115	1973-76		828	
115 20"	1977		858	
115 25"	1977		1035	
115	1978		1124	
115	1979-85		798	
115	1990+		769	
115 60V4EL,GL,SL	1995+		917	
115 60V4EX, SXV6G/C	1995+		1005	
115 V4 L	2002-04		769	
115 V4 X	2002-04		1242	
115 V4 L	2005-06		935	
115 V4 X	2005-06		89	
120V6G/C	1985		1005	
120	1986-93		769	
120 20"	1994		769	
120 25" V6 G/C	1994		1005	
125 Elec. Shift	1971-72		798	
130V6G/C	1995+		1005	
135	1973-74	828		
135	1975-76	858		
135/150/175 V6 STND ROT	2002-04	1301		
135/150/175 V6 CNTR ROT	2002-04	1189		
135/150/175 V6 20 in.	2005-06	979		

Over 5 years of testing & development to create the new Quicksilver lubricant line

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

JOHNSON / EVINRUDE					
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE	
135/150/175 V6 25 in.	2005-06	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	1301	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>	
135/150/175 V6 cntr ROT	2005-06		1213		
140	1977		1035		
140	1978		1124		
140	1979-84		798		
140V6G/C	1985		1005		
140V4Loop	1986-87		769		
140 20" V4 Loop	1988-94		769		
140 25"V6 G/C	1988-94		1005		
150	1978		1272		
150	1979-82		858		
150 V6 Cross	1983-91		1005		
150 60V6	1991+		1005		
150 DI	1997+		4L : 92-858037QB1 (DFI)		1005
150 Comm.	1993+				1005
155 Comm	1984-90				2277
155 Comm.	1991-92		Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1		1005
175	1977				1301
175	1978				1272
175	1979-82				858
175	1983		1005		

JOHNSON / EVINRUDE

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE	
175 V6 Cross	1986-91	Quicksilver	1005	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>	
175 60V6	1991+	Premium Plus 2-Stroke	1005		
175 DI	1998+	Quicksilver DFI	1005		
185	1984-85	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1	1005		
200	1976-77		1301		
200	1978		1272		
200	1979-82		858		
200	1983		1005		
200 V6 Loop	1986+		1005		
200/225/250 E-Tec or FICHT STND ROT	2002-04		1301		
200/225/250 E-Tec or FICHT CNTR ROT	2002-04		1189		
200/225/250 E-Tec or FICHT STND ROT	2005		Quicksilver DFI		1301
200/225/250 E-Tec or FICHT CNTR ROT	2005		- 4L : 92-858037QB1		1213
200 HO/ 225 HO E-Tec or FICHT	2002-04	1014			
200 HO/ 225 HO E-Tec or FICHT	2005-06	979			
225 V6 Loop	1986+	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	1005		
235	1978		1272		
235	1979-82		828		
235	1983-85		1005		
2.6L	1984-85		1005		
250 V8 Loop	1991+		2277		
275 V8 Loop	1985-87		2277		
300 V8 Loop	1985+		2277		
3.6L V8 Loop	1985-87		2277		

Quicksilver 25W-40 was designed for use in all marine applications

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

JOHNSON / EVINRUDE				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
4.0 V8 Loop	1988-92	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1	2277	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
Turbo Jet	1994+		2502	
Magnum	2002+		1301	
Magnum CX	2002+		1213	

MERCURY / MARINER				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
2-STROKE OUTBOARDS				
2.2	1984+	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1 <i>See p. 11 for more information</i>	89	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
2.2, 2.5, 3.3			133	
3.5	1983-85		83	
3.6	1980-82		83	
3.9	1965-68		89	
40	1969-80		59	
4	1976-80		83	
4	1986-87		112	
4, 5	1987+		201	
4.5	1975-85		112	

MERCURY / MARINER

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
60	1965-68	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1	112	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
6, 8, 9.9, 15			201	
7.5	1969-85		112	
110	1965-78		112	
9.8			112	
18			163	
18XD			225	
200	1965-73		177	
200	1974		192	
20	1979-80		192	
20, 25			260	
30, 40 2-cylinder			441	
350	1965-69		266	
35	1984+		370	
400	1970-71	266		
402	1972-78	370		
40	1979-83	370		
40, 50 - 3 Cyl. Std. Gearcase		441		
45		384		
50 4 cyl		384		
55		340		
60		340		
60 Bigfoot		665		
70		384		

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

MERCURY / MARINER				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
75 - 4 cyl	1984-86	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 *Quicksilver DFI - 4L : 92-858037QB1 <i>See p. 11 for more information</i>	621	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
75 - 3 cyl*			665	
80	1978-83		621	
85			621	
900 - 6 cyl	1965		503	
900 - 6 c 1	1978		621	
90 - 6 cyl	1979+		621	
90 - 3 cyl*			665	
950 - 6 cyl	1966-67		503	
1000 - 6 cyl	1965		503	
1000 - 6 cyl	1968-69		503	
1100- 6 cyl	1966-67		503	
100 - 4 cyl			665	
1150 - 6 cyl	1970-78		503	
115 - 6 cyl	1979+		621	
115 - 4 cyl			665	
115 - 3 cyl Optimax*			665	
1250 - 6 cyl	1968-69		503	
125 - 4 cyl*			665	
1350 - 6 cyl	1970-71		503	
135 - 2.0L*		665		

MERCURY / MARINER

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
1400 - 6 cyl	1972	Quicksilver Premium Plus 2-Cycle - 1L : 92-858026QB1 - 4L : 92-858027QB1 *Quicksilver DFI - 4L : 92-858037QB1 <i>See p. 11 for more info</i>	621	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
140 - 6 cyl	1979-81		621	
1500 - 6 cyl	1978		621	
150 - 2.0L			665	
150 - 2.5L*			665	
175 - 2.5L*			665	
200 - 2.5L*			665	
200 - 3.0L*			798	
225 - 3.0L*			798	
250 - 3.0L*			798	
300		858		
3.4L		858		

NISSAN / TOHATSU

MODEL / H.P.	RECOMMENDED OIL	GEARCASE CAPACITY - OUNCES	RECOMMENDED GEAR LUBE
2.5A & 3.5A	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1 <i>See p. 11 for more information</i>	89	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
3.5B		180	
5		195	
8		319	
9.8		319	
9.9		370	
15		370	
18		370	
25		429	
30		429	

Over 5 years of testing & development to create the new Quicksilver lubricant line

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

NISSAN / TOHATSU			
MODEL / H.P.	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
40C (2 cyl)	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	470	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
40D (3 cyl)		503	
NSD40 (TLDI)		503	
50D (3 cyl)		503	
NSD50 (TLDI)		503	
60B - 70B (3 cyl)		710	
60C - 70C (3 cyl)		887	
NSD70 (TLDI)		887	
80-90-115-120-140		887	

SUZUKI			
MODEL / H.P.	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
DT2 (Short Shaft)	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1 <i>See p. 11 for more information</i>	71	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
DT2 (Long Shaft)		118	
DT2.2		71	
DT3.5		86	
DT4		189	
DT5/6/8		340	
DT8C/9.9C/9.9CN		174	

SUZUKI

MODEL / H.P.	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
DT9.9/15/15C	Quicksilver	169	Quicksilver Premium Gear Lube - 237ml : 92-8M0121963 - 1L : 92-858058QB1 <i>See p. 12 for more information</i>
DT20	Premium 2-Stroke	299	
DT20/25/30/30C/35C	- 1L : 92-858021QB1	231	
DT35	- 4L : 92-858022QB1	609	
DT40		609	
DT50/55/60/65	Quicksilver	651	
DT75/85	Premium Plus 2-Stroke	701	
DT90/100	- 1L : 92-858026QB1	559	
DT115/140	- 4L : 92-858027QB1	1100	
DT150/175/200/225	<i>See p. 11 for more information</i>	1050	

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

YAMAHA				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
2	1984 - 2005	Quicksilver Premium 2-Stroke - 1L : 92-858021QB1 - 4L : 92-858022QB1	44	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
3	1984 - 2005		74	
4	1984 - 2005		106	
5	1984 - 2005		106	
5	2005+		163	
6	1984 - 2005		160	
6	2005+		163	
8	1984 - 2005		160	
9.9	1984 - 2005		177	
9.9	2005+		251	
15	1984 - 1997		177	
15	1998 - 2002+		251	
20	1984 - 2005		376	
25	2005+		376	
30	1984 - 2005		201	
30 3cyl.	1984 - 1986		180	
30 3cyl.	1987-2002		201	
C30	1989-1992	180		
C30	1993-1997	319		

YAMAHA

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
40	1984 - 1994	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 <i>See p. 11 for more information</i>	414	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
40	1995-2002		429	
40	2003-2005+		429	
C40	1989 - 1997		313	
C40 3cyl.	1997-2002		429	
50/P50	1984 - 1994		414	
50/P50	1995-2002		429	
50	2005+		429	
C50	1984 - 2005		429	
C55	1984 - 2005		500	
60	1984 - 2005		609	
60	2005+		609	
P60	1984 - 2005		609	
70	1984 - 2005		609	
70	2005+		609	
C70	1984 - 2005		609	
C75	1984 - 2005		609	
0.00E+00	1984 - 2005		609	
P75	1984 - 2005		609	
C80	1984 - 2005		609	
C85	1984 - 2005		609	
90/B90/C90	1984 - 2005		609	
90	2005+		609	
115	1984 - 2005+	760		
B115/C115	1984 - 2005	760		

2-STROKE OUTBOARD OIL RECOMMENDATIONS & GEARCASE CAPACITIES

YAMAHA				
MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
P115/S115	1984 - 2005	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 * Quicksilver DFI - 4L : 92-858037QB1 <i>See p. 11 for more information</i>	760	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
130	1984 - 2005		760	
L130	1984 - 2005		716	
S130	1984 - 2005		760	
150	1984 - 2005+		979	
C150	1984 - 2005		979	
D150 (1997-99)	1984 - 2005		899	
DX150 (1999)	1984 - 2005		979	
L150	1984 - 2005		869	
SX150 (1999-02)	1984 - 2005		979	
V150 (1998-99)	1984 - 2005+		979	
VX150	1984 - 2005		1020	
VZ150*	1984 - 2005+		979	
Z150*	1984 - 2005		979	
175 (1984-99)	1984 - 1999		979	
P175	1984 - 2005		979	
S175	1984 - 2005		979	
V175	1984 - 2005		979	
VZ175*	1984 - 2005+		979	
Z175*	1984 - 2005		979	
200	1984 - 1999	979		

YAMAHA

MODEL / H.P.	YEAR	RECOMMENDED OIL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
L200	1986-1995	Quicksilver Premium Plus 2-Stroke - 1L : 92-858026QB1 - 4L : 92-858027QB1 *Quicksilver DFI - 4L : 92-858037QB1 <i>See p. 11 for more information</i>	899	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
L200	1996-1999		899	
LX200	1999-2002+		979	
LZ200*	1984 - 2005+		869	
P200	1984 - 2005		979	
VZ200*	2005+		1000	
LX225	1984 - 2005		1000	
S225 3.1L	1984 - 2005		1150	
SX225	1984 - 2005		1000	
V225 3.1L	1984 - 2005		1150	
VX225	1984 - 2005		1150	
VZ225 3.3L*	1984 - 2005		1000	
250	1984 - 2005		1150	
L250	1984 - 2005		1000	
LX250	1984 - 2005		1000	
S250	1984 - 2005		1150	
LZ250 3.3L	1984 - 2005		1150	
SX250	1984 - 2005		1150	
VX250	1984 - 2005		1150	
VZ250 3.3L*	1984 - 2005		1000	
Z250 3.3L	1984 - 2005	1000		

Quicksilver has invested over five years of research and development into its marine engine oil formulas. Rigorous test standards raise the oils' quality far beyond what the average boater will push their engines to, ensuring optimum protection for any marine application. Quicksilver means performance, protection and peace of mind.

INBOARD CRANKCASE CAPACITY CHARTS

MERCUISER GASOLINE ENGINES				
MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL
MCM 60	1965-68	Renault - L 4	2,60	<p>GOOD: Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224</p> <p>BEST: Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227</p>
MCM 80	1966-69	Renault - L 4	4,73	
MCM 90	1970-72	Renault - L 4	4,73	
MCM 110/120/2.5L	1963-89	GM - L 4	3,78	
MCM140/3.0L/LX	1968-up	GM - L 4	3,78	
MCM 470/165/170/3.7L	1976-89	Mercury - L 4	5,2	
MCM 485	1980-82	Mercury - L 4	5,44	
MCM 488/180/190/3.7LX	1983-89	Mercury - L 4	6,15	
MCM 140	1963	GM - L 6	4,73	
MCM 160/165	1967-81	GM - L 6	4,73	
MCM 200	1969	GM - L 6	5,68	
MCM 185 (4bbl)	1983-84	GM - V-6	4,26	
MCM 175/185/205	1985-87	GM - V-6	4,26	
MCM262 Mag EFI	1996-97	GM - V-6	4,26	
MCM 4.3L/LX/LH/LIIX & 262 Mag	1988-01	GM - V-6	4,26	
MCM 4.3L EFI	1998-01	GM - V-6	4,26	
MCM 4.3L & MPI	2002-up	GM - V-6	3,78	
MCM 888	1971-77	Ford - V-8	5,68	
MCM/M1E 225	1973-74	Ford - V-8	5,68	
MCM/MTE 215	1970-72	Ford - V-8	6,62	

MERCUISER GASOLINE ENGINES

MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL
MCM 190	1963-64	GM - V-8	4,73	<p>GOOD: Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224</p> <p>BEST: Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227</p>
MCM 898/200/5.0L	1977-95	GM - V-8	4,73	
MCM 228	1977-78	GM - V-8	4,73	
MCM 228/ 230/5.0LX	1979-95	GM - V-8	5,20	
MIE 198/228/230/5.0L	1977-88	GM - V-8	5,68	
MCM 5.0L & EFI	1998-02	GM - V-8	5,20	
MCM 5.0L & MPI	2002-up	GM - V-8	4,26	
MCM 225	1963-66	GM - V-8	4,73	
MCM 225/250	1967-69	GM - V-8	6,62	
MIE 225/250	1968	GM - V-8	5,68	
MCM 250/255	1975-77	GM - V-8	4,73	
MCM 260/5.7L/LX & EFI	1978-02	GM - V-8	5,20	
MCM 350 MAG, EFI, & MPI	1986-02	GM - V-8	5,20	
MCM 350 MAG & MPI	2002-up	GM - V-8	4,26	
MCM 5.7L	2002-up	GM - V-8	4,26	
MIE 255/260/5.7L	1975-93	GM - V-8	5,68	
MIE 5.7L & EFI	1993-97	GM - V-8	3,78	
MIE 5.7L/ 350 Mag MPI	1998-02	GM - V-8	5,20	
MIE 5.7L/ 350 Mag MPI	2002-up	GM - V-8	4,26	
MIE Ski 5.7L	1985-89	GM - V-8	3,78	
MIE Ski 5.7L/350 Mag & MPI	1990-97	GM - V-8	4,73	
MIE Ski 5.7L/350 Mag & MPI	1998-02	GM - V-8	5,20	
MIE Ski 5.7L/350 Mag & MPI	2002-up	GM - V-8	4,26	
Black Scorpion Ski (Gen+)	1996-97	GM - V-8	4,73	

INBOARD CRANKCASE CAPACITY CHARTS

MERCUISER GASOLINE ENGINES

MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL
Black Scorpion Ski (Gen+)	1998-01	GM - V-8	5,20	<p>GOOD: Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224</p> <p>BEST: Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227</p> <p><i>See p. 3 for more information</i></p>
Black Scorpion Ski (Gen+)	2003-up	GM - V-8	4,26	
MX 6.2L MPI	2000-02	GM/Mercury - V-8	5,20	
MX 6.2L MPI	2002-up	GM/Mercury - V-8	4,26	
MX 6.2L MPI MIE	1999-02	GM/Mercury - V-8	5,20	
MX 6.2L MPI MIE & Ski	2002-up	GM/Mercury - V-8	4,26	
MX 6.2L Bik Scorpion Ski	2001-03	GM/Mercury - V-8	5,20	
MX 6.2L Bik Scorpion Ski	2003-up	GM/Mercury - V-8	4,26	
MCM 233/255	1973-77	Ford - V-8	4,73	
MIE 233/255 - V-Drive	1973-76	Ford - V-8	6,62	
MCM 325	1969-72	GM - V-8	7,57	
MIE 325	1968-74	GM-V-8	6,62	
MCM 330	1977-81	GM - V-8	5,68	
MCM 330 & 454 Mag Alpha	1982-88	GM - V-8	6,62	
MCM 7.4L & 454 Mag	1988-91	GM - V-8	7,57	
MCM 7.4L/LX & 454 Mag, EFI & MPI	1992-01	GM - V-8	6,62	
MIE 330	1977-80	GM - V-8	6,62	
MIE 340/7.4 w/Borg Warner trans.	1981-92	GM - V-8	6,62	
MIE 7.4L w/Hurth trans.	1988-92	GM - V-8	7,57	
MIE 7.4L & 454 Mag MPI	1992-01	GM - V-8	6,62	

MERCUISER GASOLINE ENGINES

MODEL	YEAR	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL
MIE Ski 454 Mag EFI & MPI	1995-97	GM - V-8	6,62	GOOD: Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 BEST: Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>
MCM 390	1969-70	GM - V-8	7,57	
MIE 390	1969-70	GM - V-8	6,62	
MCM 496 Mag & HO	2001-up	GM - V-8	8,51	
MIE 8.1 S Horizon & HO	2001-up	GM - V-8	8,51	
MCM 502 Mag	1990-92	GM - V-8	7,57	
MCM 502 Mag, EFI & MPI	1992-01	GM - V-8	6,62	
MIE 8.2L	1990-96	GM - V-8	7,57	
MIE 8.2L	1996-06	GM - V-8	6,62	

VOLVO PENTA GASOLINE ENGINES

MODEL	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST
AQ105A, AQ115A, AQ115B	L4	3,78	Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>
AQ120B, AQ130C, AQ130D	L4	4,26		
AQ125A	L4	4,92		
AQ125B, AQ145A, AQ145B	L4	5,20		
AQ140A	L4	5,68		
AQ131A, AQ131B, AQ131C, AQ131D, AQ151A, AQ151B, AQ151C, AQ165A, AQ170A, AQ170B, AQ171A, AQ171C, 230, 250, 251	L4	3,78		
AQ170C	L4	6,15		
BB140A, BB145A, BB165A, BB170A/B/C, BB30, MB18, 1141318F, MB20A/B/C	L4			

INBOARD CRANKCASE CAPACITY CHARTS

VOLVO PENTA GASOLINE ENGINES

MODEL	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST
3.0GL, 3.0GLM-A, 3.0GLP-A, 3.0GS, 3.0GSM-A/B/C, 3.0GSP-A/B/C,	GM - UL 4	4,73	<p>Quicksilver 25W-40 Mineral</p> <p>- 1L : 92-8M0086223</p> <p>- 4L : 92-8M0086224</p> <p><i>See p. 3 for more information</i></p>	<p>Quicksilver 25W-40 Synthetic Blend</p> <p>- 1L : 92-8M0086226</p> <p>- 4L : 92-8M0086227</p> <p><i>See p. 3 for more information</i></p>
AQ175A	GM - V-6	3,88		
4.3GL, 4.3GS, 4.3Gi	GM - V-6	3,88		
AQ190A	Ford -V-8			
AQ240A	Ford -V-8			
AQ200A, AQ200B, AQ200C, AQ200D, AQ200F, AQ225A, AQ225B	GM - V-8	5,20		
AQ205, 430, 431, 432, 434	GM - V-6	4,26		
AQ211, AQ225C, AQ225D, AQ225F	GM - V-8	5,39		
AQ231, 500, 501	GM - V-8	5,39		
AQ271A, AQ271C	GM - V-8	5,39		
AQ280A, AQ290A	GM - V-8	5,39		
AQ311A, AQ311B, 570, 571, 572	GM - V-8	5,39		
740	GM - V-8	5,96		
BB225A/B/C, BB231A, BB260AJB/C, BB261A	GM - V-8	5,39		
5.0FL, 5.0Fi,	Ford -V-8	4,73		
5.7GL, 5.7GS, 5.7GSi, 5.7G1,	GM - V-8	5,20		
5.8FL, 5.8FS1, 5.8Fi		4,73		

VOLVO PENTA GASOLINE ENGINES

MODEL	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST
7.4GL, 7.4GSi, 7.4Gi,	GM - V-8	5,68	Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>
8.1GSi, 8.2GSi, 8.2Gi, 8.2GL,	GM - V-8	5,68		

YANMAR INBOARD/STERNDRIVE

MODEL	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST
4LH-STE	From 52717 and up	13,05	Quicksilver 25W-40 Mineral - 1L : 92-8M0086223 - 4L : 92-8M0086224 <i>See p. 3 for more information</i>	Quicksilver 25W-40 Synthetic Blend - 1L : 92-8M0086226 - 4L : 92-8M0086227 <i>See p. 3 for more information</i>
4LHA-STE and 4LHA-STP	From 50676 and up	13,05		
4LHA-STZE and 4LHA-STZP	From A0508 and up	13,05		
6LP-DTE and 6LP-DTZE	From 30797 and up, from M30001 and up	10,41		
6LPA-DTP and 6LPA-DTZP	From M30201 and up	10,41		
6LP-STE and 6LP-STZE	From 52217 and up, from M50001 and up	10,41		
6LPA-STP and 6LPA-STZP	From M50025 and up	10,41		
6LYA-UTE	From 40521 and up	19,96		
6LYM-UTE	From 40865 and up	19,96		
6LYA-STE and 6LYA-STP	From 50835 and up	19,96		
6LYM-STE	From 50504 and up	19,96		
6LY2-STE and 6LY2A-STP	From M50101 and up	19,96		
6LY2M-STE	From 50827 and up	19,96		

INBOARD CRANKCASE CAPACITY CHARTS

YANMAR INBOARD/STERNDRIVE				
MODEL	NOTES	CRANKCASE CAPACITY - LITERS	RECOMMENDED CRANKCASE OIL - GOOD	RECOMMENDED CRANKCASE OIL - BEST
6CXM-ETE	From 50466 and up, from 1143 and up	18,83		
6CXM-GTE	From 70126 and up, from 1010 and up	18,83		
6CXM-GTE2	From 70101 and up, from 1030 and up	18,83		
6LY3-ETP	From M60001 and up	18,83		
6LY3-STP	From M50001 and up	18,83		
6LY3-UTP	From M40001 and up	18,83		
6BY260 and 6BY260Z	From 0979016 and up	10,97		
6BY220 and 6BY220Z	From 0978016 and up	10,97		
6LPA-STP2 and 6LPA-STZP2		10,41		

Quicksilver lubricants are approved for use in Volvo gasoline & Yanmar inboard/sterndrive engines.

Quicksilver has invested over five years of research and development into its marine engine oil formulas. Rigorous test standards raise the oils' quality far beyond what the average boater will push their engines to, ensuring optimum protection for any marine application. Quicksilver means performance, protection and peace of mind.

STERNDRIVE GEARCASE CAPACITY CHARTS

MERCUISER STERNDRIVES			
MODEL	NOTES	GEARCASE CAPACITY	RECOMMENDED GEAR LUBE
MCI - Upper		237 ml	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
MCI - Lower		532 ml	
MC IA, IB, IC - upper		237 ml	
MC IA, IB, IC - lower		680 ml	
120/140/160/165/888		828 ml	
MC II 200/225		5,44 L	
MC II w/heavy duty gear hsg		6,62 L	
MC III 250/270/325/390		4,26 L	
MC III 215E/21511/22511- TR/25511-TR		3,78 L	
Alpha One Gen II	without Gear Lube Monitor	1,15 L	
Alpha One Gen II	with Round Gear Lube Monitor	1,89 L	
Alpha One Gen II	with Rectangular Gear Lube Monitor	1,66 L	
Bravo One	without Gear Lube Monitor	1,89 L	
Bravo One	with Round Gear Lube Monitor	3,07 L	
Bravo One	with Rectangular Gear Lube Monitor	2,60 L	
Bravo Two	without Gear Lube Monitor	2,37 L	
Bravo Two	with Round Gear Lube Monitor	3,55 L	
Bravo Two	with Rectangular Gear Lube Monitor	3,07 L	
Bravo Three	without Gear Lube Monitor	1,89 L	
Bravo Three	with Rectangular Gear Lube Monitor	2,84 L	

STERNDRIVE GEARCASE CAPACITY CHARTS

MERCUISER STERNDRIVES

MODEL	NOTES	GEARCASE CAPACITY	RECOMMENDED GEAR LUBE
Blackhawk	without Gear Lube Monitor	1,66 L	Quicksilver High Performance Gear Lube*
Blackhawk	with Rectangular Gear Lube Monitor	2,13 L	

OMC STRINGER DRIVE

MODEL	YEAR	UPPER GEARCASE CAPACITY - MILLILITERS	LOWER GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
90 Nu	1970	591	518	Quicksilver Premium Gear Lube*
90 Du	1970	591	518	
90	1970-71	591	518	
100	1972-74	491	1201	
120	1970-71	591	1201	
120	1972-77	491	1201	
120	1978-81	491	1000	Quicksilver High Performance Gear Lube*
2.5L	1982-86	491	790	
140	1973-77	491	1201	Quicksilver Premium Gear Lube*
140	1978-81	491	1000	Quicksilver High Performance Gear Lube*
3.01	1982-86	491	790	
155	1970-72	591	1201	Quicksilver Premium Gear Lube*
165	1972-76	491	1201	
170	1974	491	1201	

* Quicksilver High Performance Gear Lube: 237ml : 92-8M0121960, 1L : 92-858064QB1

* Quicksilver Premium Gear Lube: 237ml : 92-8M0121963, 1L : 92-858058QB1

OMC STRINGER DRIVE

MODEL	YEAR	UPPER GEARCASE CAPACITY - MILLILITERS	LOWER GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
175	1975-77	491	1201	Quicksilver Premium Gear Lube*
3.8L	1981	491	1136	Quicksilver High Performance Gear Lube*
3.8L	1982-85	491	949	
4.3L	1986	491	949	
185	1978-80	491	1136	
190	1974-77	491	1201	Quicksilver Premium Gear Lube*
200	1979-81	491	1136	Quicksilver High Performance Gear Lube*
5.0L	1982-85	491	949	
210	1970-71	591	1201	Quicksilver Premium Gear Lube*
215	1971	591	1201	
225	1972-76	591	1201	
225	1978	491	1136	Quicksilver High Performance Gear Lube*
230	1979-81	491	1136	
5.0L	1981-86	491	949	Quicksilver Premium Gear Lube*
235	1971	491	1201	
235	1975-77	591	1201	
240	1978	491	1136	Quicksilver High Performance Gear Lube*
245	1972-75	591	1201	Quicksilver Premium Gear Lube*
250	1979	491	1136	Quicksilver High Performance Gear Lube*
260	1979-81	491	1136	
5.7L	1972-77	491	949	Quicksilver Premium Gear Lube*
5.7L	1978-86	491	949	Quicksilver High Performance Gear Lube*

* Quicksilver High Performance Gear Lube: 237 ml: 92-8M0121960, 1 L : 92-858064QB1

* Quicksilver Premium Gear Lube: 237 ml: 92-8M0121963, 1 L : 92-858064QB1

Over 5 years of testing & development to create the new Quicksilver lubricant line

STERNDRIVE GEARCASE CAPACITY CHARTS

OMC COBRA

MODEL	YEAR	GEARCASE CAPACITY - LITERS	RECOMMENDED GEAR LUBE
2.3L, 128 Model		1,77	<p>Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i></p>
2.5L		1,77	
3.0L	1990-93	1,89	
3.0L 130 Model		1,77	
4.3L 175 Model		1,89	
5.0L		1,89	
5.7L, 260 Model		1,89	
7.5L		3,19	
3.0L, 3.0L HO	1990-93	1,89	
185, 200, 235 Models		1,89	
262 OMC King Cobra		1,89	
350 OMC King Cobra		1,89	
460 OMG King Cobra		3,19	
460 OMC King Cobra (Cone Clutch)		3,05	
King Cobra (Cone Clutch)	1994+	3,05	
Cobra (Cone Clutch)	1994+	2,10	
Dual Prop	1994+	2,40	

VOLVO PENTA STERNDRIVES

MODEL	GEARCASE CAPACITY - MILLILITERS	RECOMMENDED GEAR LUBE
100 / 200	59	Quicksilver High Performance Gear Lube - 237ml : 92-8M0121960 - 1L : 92-858064QB1 <i>See p. 12 for more information</i>
250	65	
270 / 280 / 290 SP & DP	83	

DIESEL CRANKCASE CAPACITY CHARTS

MERCUISER DIESEL ENGINES

MODEL	ENGINE	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED DIESEL OIL
D1.7L DTI (Alpha)	1.7L	2001+	4,49	Quicksilver 15W-40 Diesel - 4L : 92-8M0096794
SDI 40/50/60 & TDI 45/75	1.9L	2003-2012	4,49	Quicksilver 5W-30 TDI - 4L : 92-8M0089691
SDI 55/75 & TDI 100/120/140/150/165	2.5L	2002-2013	5,99	
D2.8L D-Tronic (Bravo & MIE)	2.8L	1997+	8,04	Quicksilver 15W-40 Diesel - 4L : 92-8M0096794
D183 Turbo AC (Bravo & MIE)	3.0L	1990-93	8,99	
530 D-TA (Bravo & MIE)	3.0L	1989-93	8,99	
D3.0L (Bravo & MIE)	3.0L	1994-97	8,99	
TDI 100/225/230/260/265	3.0L	2006-2013	5,99	
D219 Turbo AC (Bravo & MIE)	3.6L	1990-93	9,93	Quicksilver 15W-40 Diesel - 4L : 92-8M0096794
636 D-TA (Bravo & MIE)	3.6L	1989-93	9,93	
D3.6L (Bravo & MIE)	3.6L	1994-97	9,93	
D3.6L W (Bravo)(MCM)(Intl.)	3.6L	1997	9,93	
D254 Turbo AC (Bravo & MIE)	4.2L	1990-93	12,06	Quicksilver 15W-40 Diesel - 4L : 92-8M0096794
D4.2L (Bravo & MIE)	4.2L	1994-97	12,06	
D4.2L D-Tronic (Bravo & MIE)	4.2L	1997+	12,06	
D4.2L LD	4.2L	1999+	12,06	Quicksilver 5W-30 TDI - 4L : 92-8M0089691
TDI 285/335/350/370	4.2L	2009-2013	8,99	

MERCUISER DIESEL ENGINES

MODEL	ENGINE	YEAR	CRANKCASE CAPACITY - LITERS	RECOMMENDED DIESEL OIL
7.3L (Bravo & MIE)	7.3L	1994-96	11,35	Quicksilver 15W-40 Diesel - 4L : 92-8M0096794 <i>See p. 13 for more information</i>
D7.3L D-Tronic	7.3L	1996-01	15,61	

Quicksilver has invested over five years of research and development into its marine engine oil formulas. Rigorous test standards raise the oils' quality far beyond what the average boater will push their engines to, ensuring optimum protection for any marine application. Quicksilver means performance, protection and peace of mind.

The logo features the word "QUICKSILVER" in a bold, italicized, sans-serif font with a registered trademark symbol. Below it, "Marine Lubricants" is written in a smaller, italicized, sans-serif font. The background is a dark blue map with white lines and text, including "VAR 1°30'W (1992)".

QUICKSILVER
Marine Lubricants

THE QUICKSILVER STORY

Since 1950, discriminating customers have depended on the Quicksilver brand for premium quality marine parts, accessories, and engine care products. Quicksilver is one of the most trusted marine brands on the market. It has earned a loyal following by providing the highest quality products for more than 60 years.

Quicksilver products are available in retail stores, independent marine dealerships, powersports dealerships and local convenience stores – just about everywhere marine and powersports parts, accessories and engine care products are found.



The Quicksilver brand delivers the exact level of quality as its parent brand, Mercury Marine. Quicksilver products are true original equipment manufacturer (OEM) products. In fact, the word quicksilver is another name for the element mercury. In other words, Mercury equals Quicksilver. The difference between the two brands is where they are sold. Mercury products are sold only by Mercury Marine dealerships.

No aftermarket company comes close to the level of research and design as Quicksilver products. And no other company tests their products like Quicksilver, either. Literally, millions of hours have been spent on fired-engine testing and analysis. Quality and integrity are paramount. Buying Quicksilver is buying performance, protection, and peace of mind.

PLEASE NOTE:

Mercury Marine obtained the information in this application guide from reliable sources and believes the information contained within to be accurate and complete at the time of printing. However, Mercury Marine does not make any guarantee or warranty, express or implied, regarding the correctness, accuracy or completeness of this information. Mercury Marine recommends that customers verify the accuracy of the information by consulting their engine owners manual.